



2/17/2019

**Work Order: 19B0750
Project: Code Copper**

Sandy City Corporation

Attn: [REDACTED]

9150 South 150 East

Sandy, UT 84070

Client Service Contact: 801.262.7299

The analyses presented on this report were performed in accordance with the National Environmental Laboratory Accreditation Program (NELAP) unless noted in the comments, flags, or case narrative. If the report is to be used for regulatory compliance, it should be presented in its entirety, and not be altered.



Approved By:

Reed Hendricks, Senior Project Manager



Certificate of Analysis

Lab Sample No.: 19B0750-01

Name: Sandy City Corporation	Sample Date: 2/16/2019 2:44 PM
Sample Site: H1K 1792 E 11170 S	Receipt Date: 2/16/2019 4:40 PM
Comments:	Sampler: Sandy City Workers
Sample Matrix: Drinking Water	Project: Code Copper
PO Number:	System No.: UTAH18028
Source Code:	Sample Point:
	Report to State:

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
Metals								
Copper, Total	0.0886	1.3	0.0010	mg/L	EPA 200.8	02/17/2019	02/17/2019	
Lead, Total	0.0021	0.015	0.0005	mg/L	EPA 200.8	02/17/2019	02/17/2019	



Certificate of Analysis

Lab Sample No.: 19B0750-02

Name: Sandy City Corporation	Sample Date: 2/16/2019 2:42 PM
Sample Site: H2K 1796 E 11170 S	Receipt Date: 2/16/2019 4:40 PM
Comments:	Sampler: Sandy City Workers
Sample Matrix: Drinking Water	Project: Code Copper
PO Number:	System No.: UTAH18028
Source Code:	Sample Point:
	Report to State:

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
Metals								
Copper, Total	0.0593	1.3	0.0010	mg/L	EPA 200.8	02/17/2019	02/17/2019	
Lead, Total	ND	0.015	0.0005	mg/L	EPA 200.8	02/17/2019	02/17/2019	



Certificate of Analysis

Lab Sample No.: 19B0750-03

Name: Sandy City Corporation	Sample Date: 2/16/2019 2:56 PM
Sample Site: H3K 1797 E 11170 S	Receipt Date: 2/16/2019 4:40 PM
Comments:	Sampler: Sandy City Workers
Sample Matrix: Drinking Water	Project: Code Copper
PO Number:	System No.: UTAH18028
Source Code:	Sample Point:
	Report to State:

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
Metals								
Copper, Total	0.0392	1.3	0.0010	mg/L	EPA 200.8	02/17/2019	02/17/2019	
Lead, Total	0.0005	0.015	0.0005	mg/L	EPA 200.8	02/17/2019	02/17/2019	



Certificate of Analysis

Lab Sample No.: 19B0750-04

<p>Name: Sandy City Corporation</p> <p>Sample Site: H4K 1787 E 11170 S</p> <p>Comments:</p> <p>Sample Matrix: Drinking Water</p> <p>PO Number:</p> <p>Source Code:</p>	<p>Sample Date: 2/16/2019 2:59 PM</p> <p>Receipt Date: 2/16/2019 4:40 PM</p> <p>Sampler: Sandy City Workers</p> <p>Project: Code Copper</p> <p>System No.: UTAH18028</p> <p>Report to State:</p>
Sample Point:	

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
Metals								
Copper, Total	0.0899	1.3	0.0010	mg/L	EPA 200.8	02/17/2019	02/17/2019	
Lead, Total	ND	0.015	0.0005	mg/L	EPA 200.8	02/17/2019	02/17/2019	



Certificate of Analysis

Lab Sample No.: 19B0750-05

Name: Sandy City Corporation	Sample Date: 2/16/2019 3:09 PM
Sample Site: H5B 11201 S Susan Dr	Receipt Date: 2/16/2019 4:40 PM
Comments:	Sampler: Sandy City Workers
Sample Matrix: Drinking Water	Project: Code Copper
PO Number:	System No.: UTAH18028
Source Code:	Sample Point:
	Report to State:

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
Metals								
Copper, Total	0.0195	1.3	0.0010	mg/L	EPA 200.8	02/17/2019	02/17/2019	
Lead, Total	0.0015	0.015	0.0005	mg/L	EPA 200.8	02/17/2019	02/17/2019	



Certificate of Analysis

Lab Sample No.: 19B0750-06

Name: Sandy City Corporation	Sample Date: 2/16/2019 3:13 PM
Sample Site: H6K 11209 S Susan Dr	Receipt Date: 2/16/2019 4:40 PM
Comments:	Sampler: Sandy City Workers
Sample Matrix: Drinking Water	Project: Code Copper
PO Number:	System No.: UTAH18028
Source Code:	Sample Point:
	Report to State:

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
Metals								
Copper, Total	0.155	1.3	0.0010	mg/L	EPA 200.8	02/17/2019	02/17/2019	
Lead, Total	0.0009	0.015	0.0005	mg/L	EPA 200.8	02/17/2019	02/17/2019	



Certificate of Analysis

Lab Sample No.: 19B0750-07

Name: Sandy City Corporation	Sample Date: 2/16/2019 3:16 PM
Sample Site: H7K 1773 E Teakwood Dr	Receipt Date: 2/16/2019 4:40 PM
Comments:	Sampler: Sandy City Workers
Sample Matrix: Drinking Water	Project: Code Copper
PO Number:	System No.: UTAH18028
Source Code:	Sample Point:
	Report to State:

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
Metals								
Copper, Total	0.0232	1.3	0.0010	mg/L	EPA 200.8	02/17/2019	02/17/2019	
Lead, Total	0.0009	0.015	0.0005	mg/L	EPA 200.8	02/17/2019	02/17/2019	



Certificate of Analysis

Lab Sample No.: 19B0750-08

Name: Sandy City Corporation	Sample Date: 2/16/2019 3:20 PM
Sample Site: H8K 1785 E Teakwood Dr	Receipt Date: 2/16/2019 4:40 PM
Comments:	Sampler: Sandy City Workers
Sample Matrix: Drinking Water	Project: Code Copper
PO Number:	System No.: UTAH18028
Source Code:	Sample Point:
	Report to State:

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
Metals								
Copper, Total	0.0555	1.3	0.0010	mg/L	EPA 200.8	02/17/2019	02/17/2019	
Lead, Total	0.0012	0.015	0.0005	mg/L	EPA 200.8	02/17/2019	02/17/2019	



Certificate of Analysis

Lab Sample No.: 19B0750-09

Name: Sandy City Corporation	Sample Date: 2/16/2019 3:23 PM
Sample Site: H9K 11230 Teakwood Cr	Receipt Date: 2/16/2019 4:40 PM
Comments:	Sampler: Sandy City Workers
Sample Matrix: Drinking Water	Project: Code Copper
PO Number:	System No.: UTAH18028
Source Code:	Sample Point:
	Report to State:

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
Metals								
Copper, Total	0.125	1.3	0.0010	mg/L	EPA 200.8	02/17/2019	02/17/2019	
Lead, Total	0.0015	0.015	0.0005	mg/L	EPA 200.8	02/17/2019	02/17/2019	



Certificate of Analysis

Lab Sample No.: 19B0750-10

Name: Sandy City Corporation	Sample Date: 2/16/2019 3:27 PM
Sample Site: H10K11234 Teakwood Cr	Receipt Date: 2/16/2019 4:40 PM
Comments:	Sampler: Sandy City Workers
Sample Matrix: Drinking Water	Project: Code Copper
PO Number:	System No.: UTAH18028
Source Code:	Sample Point:
	Report to State:

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
Metals								
Copper, Total	0.0471	1.3	0.0010	mg/L	EPA 200.8	02/17/2019	02/17/2019	
Lead, Total	0.0009	0.015	0.0005	mg/L	EPA 200.8	02/17/2019	02/17/2019	



Certificate of Analysis

Lab Sample No.: 19B0750-11

Name: Sandy City Corporation	Sample Date: 2/16/2019 2:54 PM
Sample Site: I1K 1887 Barrett	Receipt Date: 2/16/2019 4:40 PM
Comments:	Sampler: Sandy City Workers
Sample Matrix: Drinking Water	Project: Code Copper
PO Number:	System No.: UTAH18028
Source Code:	Sample Point:
	Report to State:

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
Metals								
Copper, Total	0.276	1.3	0.0010	mg/L	EPA 200.8	02/17/2019	02/17/2019	
Lead, Total	ND	0.015	0.0005	mg/L	EPA 200.8	02/17/2019	02/17/2019	



Certificate of Analysis

Lab Sample No.: 19B0750-12

Name: Sandy City Corporation	Sample Date: 2/16/2019 2:50 PM
Sample Site: I2K 11153 Foxmoor	Receipt Date: 2/16/2019 4:40 PM
Comments:	Sampler: Sandy City Workers
Sample Matrix: Drinking Water	Project: Code Copper
PO Number:	System No.: UTAH18028
Source Code:	Sample Point:
	Report to State:

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
Metals								
Copper, Total	0.589	1.3	0.0010	mg/L	EPA 200.8	02/17/2019	02/17/2019	
Lead, Total	ND	0.015	0.0005	mg/L	EPA 200.8	02/17/2019	02/17/2019	



Certificate of Analysis

Lab Sample No.: 19B0750-13

Name: Sandy City Corporation	Sample Date: 2/16/2019 3:01 PM
Sample Site: I3K 1909 Barrett	Receipt Date: 2/16/2019 4:40 PM
Comments:	Sampler: Sandy City Workers
Sample Matrix: Drinking Water	Project: Code Copper
PO Number:	System No.: UTAH18028
Source Code:	Sample Point:
	Report to State:

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
Metals								
Copper, Total	0.191	1.3	0.0010	mg/L	EPA 200.8	02/17/2019	02/17/2019	
Lead, Total	0.0005	0.015	0.0005	mg/L	EPA 200.8	02/17/2019	02/17/2019	



Certificate of Analysis

Lab Sample No.: 19B0750-14

<p>Name: Sandy City Corporation</p> <p>Sample Site: I4K 1935 Barrett</p> <p>Comments:</p> <p>Sample Matrix: Drinking Water</p> <p>PO Number:</p> <p>Source Code:</p>	<p>Sample Date: 2/16/2019 3:06 PM</p> <p>Receipt Date: 2/16/2019 4:40 PM</p> <p>Sampler: Sandy City Workers</p> <p>Project: Code Copper</p> <p>System No.: UTAH18028</p> <p>Report to State:</p>
--	--

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
Metals								
Copper, Total	0.253	1.3	0.0010	mg/L	EPA 200.8	02/17/2019	02/17/2019	
Lead, Total	0.0007	0.015	0.0005	mg/L	EPA 200.8	02/17/2019	02/17/2019	



Certificate of Analysis

Lab Sample No.: 19B0750-15

Name: Sandy City Corporation	Sample Date: 2/16/2019 3:15 PM
Sample Site: I5K 11131 Justin Park	Receipt Date: 2/16/2019 4:40 PM
Comments:	Sampler: Sandy City Workers
Sample Matrix: Drinking Water	Project: Code Copper
PO Number:	System No.: UTAH18028
Source Code:	Sample Point:
	Report to State:

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
Metals								
Copper, Total	0.261	1.3	0.0010	mg/L	EPA 200.8	02/17/2019	02/17/2019	
Lead, Total	0.0007	0.015	0.0005	mg/L	EPA 200.8	02/17/2019	02/17/2019	



Certificate of Analysis

Lab Sample No.: 19B0750-16

Name: Sandy City Corporation	Sample Date: 2/16/2019 3:31 PM
Sample Site: I6K 1930 Barrett	Receipt Date: 2/16/2019 4:40 PM
Comments:	Sampler: Sandy City Workers
Sample Matrix: Drinking Water	Project: Code Copper
PO Number:	System No.: UTAH18028
Source Code:	Sample Point:
	Report to State:

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
Metals								
Copper, Total	0.0838	1.3	0.0010	mg/L	EPA 200.8	02/17/2019	02/17/2019	
Lead, Total	ND	0.015	0.0005	mg/L	EPA 200.8	02/17/2019	02/17/2019	



Certificate of Analysis

Lab Sample No.: 19B0750-17

Name: Sandy City Corporation	Sample Date: 2/16/2019 3:33 PM
Sample Site: I7K 11182 Brandon St	Receipt Date: 2/16/2019 4:40 PM
Comments:	Sampler: Sandy City Workers
Sample Matrix: Drinking Water	Project: Code Copper
PO Number:	System No.: UTAH18028
Source Code:	Sample Point:
	Report to State:

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
Metals								
Copper, Total	0.0946	1.3	0.0010	mg/L	EPA 200.8	02/17/2019	02/17/2019	
Lead, Total	0.0005	0.015	0.0005	mg/L	EPA 200.8	02/17/2019	02/17/2019	



Certificate of Analysis

Lab Sample No.: 19B0750-18

Name: Sandy City Corporation	Sample Date: 2/16/2019 3:42 PM
Sample Site: I8K 1888 Barrett	Receipt Date: 2/16/2019 4:40 PM
Comments:	Sampler: Sandy City Workers
Sample Matrix: Drinking Water	Project: Code Copper
PO Number:	System No.: UTAH18028
Source Code:	Sample Point:
	Report to State:

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
Metals								
Copper, Total	0.0678	1.3	0.0010	mg/L	EPA 200.8	02/17/2019	02/17/2019	
Lead, Total	ND	0.015	0.0005	mg/L	EPA 200.8	02/17/2019	02/17/2019	



Certificate of Analysis

Lab Sample No.: 19B0750-19

Name: Sandy City Corporation	Sample Date: 2/16/2019 3:49 PM
Sample Site: I9K 11183 Foxmoor	Receipt Date: 2/16/2019 4:40 PM
Comments:	Sampler: Sandy City Workers
Sample Matrix: Drinking Water	Project: Code Copper
PO Number:	System No.: UTAH18028
Source Code:	Sample Point:
	Report to State:

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
Metals								
Copper, Total	0.135	1.3	0.0010	mg/L	EPA 200.8	02/17/2019	02/17/2019	
Lead, Total	0.0016	0.015	0.0005	mg/L	EPA 200.8	02/17/2019	02/17/2019	



Certificate of Analysis

Lab Sample No.: 19B0750-20

Name: Sandy City Corporation	Sample Date: 2/16/2019 2:35 PM
Sample Site: C1 1788 E 11275 S	Receipt Date: 2/16/2019 4:40 PM
Comments:	Sampler: Sandy City Workers
Sample Matrix: Drinking Water	Project: Code Copper
PO Number:	System No.: UTAH18028
Source Code:	Sample Point:
	Report to State:

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
Metals								
Copper, Total	0.0387	1.3	0.0010	mg/L	EPA 200.8	02/17/2019	02/17/2019	
Lead, Total	0.0007	0.015	0.0005	mg/L	EPA 200.8	02/17/2019	02/17/2019	



Certificate of Analysis

Lab Sample No.: 19B0750-21

Name: Sandy City Corporation	Sample Date: 2/16/2019 2:44 PM
Sample Site: C2 1798 E 11275 S	Receipt Date: 2/16/2019 4:40 PM
Comments:	Sampler: Sandy City Workers
Sample Matrix: Drinking Water	Project: Code Copper
PO Number:	System No.: UTAH18028
Source Code:	Sample Point:
	Report to State:

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
Metals								
Copper, Total	0.112	1.3	0.0010	mg/L	EPA 200.8	02/17/2019	02/17/2019	
Lead, Total	0.0010	0.015	0.0005	mg/L	EPA 200.8	02/17/2019	02/17/2019	



Certificate of Analysis

Lab Sample No.: 19B0750-22

Name: Sandy City Corporation	Sample Date: 2/16/2019 2:51 PM
Sample Site: C3 1793 E 11275 S	Receipt Date: 2/16/2019 4:40 PM
Comments:	Sampler: Sandy City Workers
Sample Matrix: Drinking Water	Project: Code Copper
PO Number:	System No.: UTAH18028
Source Code:	Sample Point:
	Report to State:

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
Metals								
Copper, Total	0.242	1.3	0.0010	mg/L	EPA 200.8	02/17/2019	02/17/2019	
Lead, Total	0.0020	0.015	0.0005	mg/L	EPA 200.8	02/17/2019	02/17/2019	



Certificate of Analysis

Lab Sample No.: 19B0750-23

Name: Sandy City Corporation	Sample Date: 2/16/2019 3:00 PM
Sample Site: C4 1811 E 11275 S	Receipt Date: 2/16/2019 4:40 PM
Comments:	Sampler: Sandy City Workers
Sample Matrix: Drinking Water	Project: Code Copper
PO Number:	System No.: UTAH18028
Source Code:	Sample Point:
	Report to State:

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
Metals								
Copper, Total	0.0195	1.3	0.0010	mg/L	EPA 200.8	02/17/2019	02/17/2019	
Lead, Total	0.0005	0.015	0.0005	mg/L	EPA 200.8	02/17/2019	02/17/2019	



Certificate of Analysis

Lab Sample No.: 19B0750-24

Name: Sandy City Corporation	Sample Date: 2/16/2019 3:03 PM
Sample Site: C5 1843 E 11275 S	Receipt Date: 2/16/2019 4:40 PM
Comments:	Sampler: Sandy City Workers
Sample Matrix: Drinking Water	Project: Code Copper
PO Number:	System No.: UTAH18028
Source Code:	Sample Point:
	Report to State:

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
Metals								
Copper, Total	0.0795	1.3	0.0010	mg/L	EPA 200.8	02/17/2019	02/17/2019	
Lead, Total	0.0012	0.015	0.0005	mg/L	EPA 200.8	02/17/2019	02/17/2019	



Certificate of Analysis

Lab Sample No.: 19B0750-25

Name: Sandy City Corporation	Sample Date: 2/16/2019 3:09 PM
Sample Site: C6 1853 E 11275 S	Receipt Date: 2/16/2019 4:40 PM
Comments:	Sampler: Sandy City Workers
Sample Matrix: Drinking Water	Project: Code Copper
PO Number:	System No.: UTAH18028
Source Code:	Sample Point:
	Report to State:

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
Metals								
Copper, Total	0.0586	1.3	0.0010	mg/L	EPA 200.8	02/17/2019	02/17/2019	
Lead, Total	ND	0.015	0.0005	mg/L	EPA 200.8	02/17/2019	02/17/2019	



Certificate of Analysis

Lab Sample No.: 19B0750-26

Name: Sandy City Corporation	Sample Date: 2/16/2019 3:13 PM
Sample Site: C7 1863 E 11275 S	Receipt Date: 2/16/2019 4:40 PM
Comments:	Sampler: Sandy City Workers
Sample Matrix: Drinking Water	Project: Code Copper
PO Number:	System No.: UTAH18028
Source Code:	Sample Point:
	Report to State:

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
Metals								
Copper, Total	0.0571	1.3	0.0010	mg/L	EPA 200.8	02/17/2019	02/17/2019	
Lead, Total	0.0012	0.015	0.0005	mg/L	EPA 200.8	02/17/2019	02/17/2019	



Certificate of Analysis

Lab Sample No.: 19B0750-27

Name: Sandy City Corporation	Sample Date: 2/16/2019 3:17 PM
Sample Site: C8 1818 E 11275 S	Receipt Date: 2/16/2019 4:40 PM
Comments:	Sampler: Sandy City Workers
Sample Matrix: Drinking Water	Project: Code Copper
PO Number:	System No.: UTAH18028
Source Code:	Sample Point:
	Report to State:

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
Metals								
Copper, Total	0.0522	1.3	0.0010	mg/L	EPA 200.8	02/17/2019	02/17/2019	
Lead, Total	0.0012	0.015	0.0005	mg/L	EPA 200.8	02/17/2019	02/17/2019	



Certificate of Analysis

Lab Sample No.: 19B0750-28

Name: Sandy City Corporation	Sample Date: 2/16/2019 3:27 PM
Sample Site: H11K 11229 Teakwood Cir	Receipt Date: 2/16/2019 4:40 PM
Comments:	Sampler: Sandy City Workers
Sample Matrix: Drinking Water	Project: Code Copper
PO Number:	System No.: UTAH18028
Source Code:	Sample Point:
	Report to State:

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
Metals								
Copper, Total	0.0940	1.3	0.0010	mg/L	EPA 200.8	02/17/2019	02/17/2019	
Lead, Total	0.0030	0.015	0.0005	mg/L	EPA 200.8	02/17/2019	02/17/2019	



Certificate of Analysis

Lab Sample No.: 19B0750-29

Name: Sandy City Corporation	Sample Date: 2/16/2019 3:39 PM
Sample Site: H12K 11210 S Teakwood Cir	Receipt Date: 2/16/2019 4:40 PM
Comments:	Sampler: Sandy City Workers
Sample Matrix: Drinking Water	Project: Code Copper
PO Number:	System No.: UTAH18028
Source Code:	Sample Point:
	Report to State:

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
Metals								
Copper, Total	0.0681	1.3	0.0010	mg/L	EPA 200.8	02/17/2019	02/17/2019	
Lead, Total	0.0025	0.015	0.0005	mg/L	EPA 200.8	02/17/2019	02/17/2019	



Certificate of Analysis

Lab Sample No.: 19B0750-30

Name: Sandy City Corporation	Sample Date: 2/16/2019 3:42 PM
Sample Site: H13K 11200 S Teackwood Cir	Receipt Date: 2/16/2019 4:40 PM
Comments:	Sampler: Sandy City Workers
Sample Matrix: Drinking Water	Project: Code Copper
PO Number:	System No.: UTAH18028
Source Code:	Sample Point:
	Report to State:

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
Metals								
Copper, Total	0.355	1.3	0.0010	mg/L	EPA 200.8	02/17/2019	02/17/2019	
Lead, Total	0.0016	0.015	0.0005	mg/L	EPA 200.8	02/17/2019	02/17/2019	



Certificate of Analysis

Lab Sample No.: 19B0750-31

Name: Sandy City Corporation	Sample Date: 2/16/2019 3:48 PM
Sample Site: H14K 1772 E 11170 S	Receipt Date: 2/16/2019 4:40 PM
Comments:	Sampler: Sandy City Workers
Sample Matrix: Drinking Water	Project: Code Copper
PO Number:	System No.: UTAH18028
Source Code:	Sample Point:
	Report to State:

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
Metals								
Copper, Total	0.0299	1.3	0.0010	mg/L	EPA 200.8	02/17/2019	02/17/2019	
Lead, Total	0.0014	0.015	0.0005	mg/L	EPA 200.8	02/17/2019	02/17/2019	



Certificate of Analysis

Lab Sample No.: 19B0750-32

Name: Sandy City Corporation	Sample Date: 2/16/2019 3:46 PM
Sample Site: H15K 1779 E 11170 S	Receipt Date: 2/16/2019 4:40 PM
Comments:	Sampler: Sandy City Workers
Sample Matrix: Drinking Water	Project: Code Copper
PO Number:	System No.: UTAH18028
Source Code:	Sample Point:
	Report to State:

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
Metals								
Copper, Total	0.0337	1.3	0.0010	mg/L	EPA 200.8	02/17/2019	02/17/2019	
Lead, Total	0.0005	0.015	0.0005	mg/L	EPA 200.8	02/17/2019	02/17/2019	



Certificate of Analysis

Lab Sample No.: 19B0750-33

<p>Name: Sandy City Corporation</p> <p>Sample Site: K 11289 Wyndgate Ln</p> <p>Comments:</p> <p>Sample Matrix: Drinking Water</p> <p>PO Number:</p> <p>Source Code:</p>	<p>Sample Date: 2/16/2019 2:35 PM</p> <p>Receipt Date: 2/16/2019 4:40 PM</p> <p>Sampler: Sandy City Workers</p> <p>Project: Code Copper</p> <p>System No.: UTAH18028</p> <p>Report to State:</p>
Sample Point:	

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
Metals								
Copper, Total	0.0864	1.3	0.0010	mg/L	EPA 200.8	02/17/2019	02/17/2019	
Lead, Total	0.0005	0.015	0.0005	mg/L	EPA 200.8	02/17/2019	02/17/2019	



Certificate of Analysis

Lab Sample No.: 19B0750-34

Name: Sandy City Corporation	Sample Date: 2/16/2019 2:39 PM
Sample Site: K 11265 Wyndgate Ln	Receipt Date: 2/16/2019 4:40 PM
Comments:	Sampler: Sandy City Workers
Sample Matrix: Drinking Water	Project: Code Copper
PO Number:	System No.: UTAH18028
Source Code:	Sample Point:
	Report to State:

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
Metals								
Copper, Total	0.239	1.3	0.0010	mg/L	EPA 200.8	02/17/2019	02/17/2019	
Lead, Total	0.0010	0.015	0.0005	mg/L	EPA 200.8	02/17/2019	02/17/2019	



Certificate of Analysis

Lab Sample No.: 19B0750-35

Name: Sandy City Corporation	Sample Date: 2/16/2019 2:44 PM
Sample Site: K 11264 Wyndgate Ln	Receipt Date: 2/16/2019 4:40 PM
Comments:	Sampler: Sandy City Workers
Sample Matrix: Drinking Water	Project: Code Copper
PO Number:	System No.: UTAH18028
Source Code:	Sample Point:
	Report to State:

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
Metals								
Copper, Total	0.0296	1.3	0.0010	mg/L	EPA 200.8	02/17/2019	02/17/2019	
Lead, Total	0.0006	0.015	0.0005	mg/L	EPA 200.8	02/17/2019	02/17/2019	



Certificate of Analysis

Lab Sample No.: 19B0750-36

Name: Sandy City Corporation	Sample Date: 2/16/2019 2:50 PM
Sample Site: K 11306 Wyndgate Ln	Receipt Date: 2/16/2019 4:40 PM
Comments:	Sampler: Sandy City Workers
Sample Matrix: Drinking Water	Project: Code Copper
PO Number:	System No.: UTAH18028
Source Code:	Sample Point:
	Report to State:

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
Metals								
Copper, Total	0.0995	1.3	0.0010	mg/L	EPA 200.8	02/17/2019	02/17/2019	
Lead, Total	ND	0.015	0.0005	mg/L	EPA 200.8	02/17/2019	02/17/2019	



Certificate of Analysis

Lab Sample No.: 19B0750-37

Name: Sandy City Corporation	Sample Date: 2/16/2019 3:25 PM
Sample Site: K 2015 E 11270 S	Receipt Date: 2/16/2019 4:40 PM
Comments:	Sampler: Sandy City Workers
Sample Matrix: Drinking Water	Project: Code Copper
PO Number:	System No.: UTAH18028
Source Code:	Sample Point:
	Report to State:

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
Metals								
Copper, Total	0.0319	1.3	0.0010	mg/L	EPA 200.8	02/17/2019	02/17/2019	
Lead, Total	ND	0.015	0.0005	mg/L	EPA 200.8	02/17/2019	02/17/2019	



Certificate of Analysis

Lab Sample No.: 19B0750-38

Name: Sandy City Corporation	Sample Date: 2/16/2019 2:35 PM
Sample Site: B1K 11255 S 1740	Receipt Date: 2/16/2019 4:40 PM
Comments:	Sampler: Sandy City Workers
Sample Matrix: Drinking Water	Project: Code Copper
PO Number:	System No.: UTAH18028
Source Code:	Sample Point:
	Report to State:

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
Metals								
Copper, Total	0.339	1.3	0.0010	mg/L	EPA 200.8	02/17/2019	02/17/2019	
Lead, Total	0.0021	0.015	0.0005	mg/L	EPA 200.8	02/17/2019	02/17/2019	



Certificate of Analysis

Lab Sample No.: 19B0750-39

Name: Sandy City Corporation	Sample Date: 2/16/2019 2:49 PM
Sample Site: B2K 1810 E Teakwood	Receipt Date: 2/16/2019 4:40 PM
Comments:	Sampler: Sandy City Workers
Sample Matrix: Drinking Water	Project: Code Copper
PO Number:	System No.: UTAH18028
Source Code:	Sample Point:
	Report to State:

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
Metals								
Copper, Total	0.147	1.3	0.0010	mg/L	EPA 200.8	02/17/2019	02/17/2019	
Lead, Total	0.0012	0.015	0.0005	mg/L	EPA 200.8	02/17/2019	02/17/2019	



Certificate of Analysis

Lab Sample No.: 19B0750-40

Name: Sandy City Corporation	Sample Date: 2/16/2019 2:54 PM
Sample Site: B3K 1830 E Teakwood	Receipt Date: 2/16/2019 4:40 PM
Comments:	Sampler: Sandy City Workers
Sample Matrix: Drinking Water	Project: Code Copper
PO Number:	System No.: UTAH18028
Source Code:	Sample Point:
	Report to State:

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
Metals								
Copper, Total	0.0783	1.3	0.0010	mg/L	EPA 200.8	02/17/2019	02/17/2019	
Lead, Total	0.0017	0.015	0.0005	mg/L	EPA 200.8	02/17/2019	02/17/2019	



Certificate of Analysis

Lab Sample No.: 19B0750-41

Name: Sandy City Corporation	Sample Date: 2/16/2019 3:17 PM
Sample Site: B4K 1770 E Teakwood	Receipt Date: 2/16/2019 4:40 PM
Comments:	Sampler: Sandy City Workers
Sample Matrix: Drinking Water	Project: Code Copper
PO Number:	System No.: UTAH18028
Source Code:	Sample Point:
	Report to State:

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
Metals								
Copper, Total	0.0898	1.3	0.0010	mg/L	EPA 200.8	02/17/2019	02/17/2019	
Lead, Total	0.0032	0.015	0.0005	mg/L	EPA 200.8	02/17/2019	02/17/2019	



Certificate of Analysis

Lab Sample No.: 19B0750-42

Name: Sandy City Corporation	Sample Date: 2/16/2019 3:22 PM
Sample Site: B5K 1739 E Teakwood	Receipt Date: 2/16/2019 4:40 PM
Comments:	Sampler: Sandy City Workers
Sample Matrix: Drinking Water	Project: Code Copper
PO Number:	System No.: UTAH18028
Source Code:	Sample Point:
	Report to State:

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
Metals								
Copper, Total	0.0707	1.3	0.0010	mg/L	EPA 200.8	02/17/2019	02/17/2019	
Lead, Total	0.0059	0.015	0.0005	mg/L	EPA 200.8	02/17/2019	02/17/2019	



Certificate of Analysis

Lab Sample No.: 19B0750-43

Name: Sandy City Corporation	Sample Date: 2/16/2019 3:00 PM
Sample Site: A1K 11197 S Foxmoor Dr	Receipt Date: 2/16/2019 4:40 PM
Comments:	Sampler: Sandy City Workers
Sample Matrix: Drinking Water	Project: Code Copper
PO Number:	System No.: UTAH18028
Source Code:	Sample Point:
	Report to State:

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
Metals								
Copper, Total	0.0502	1.3	0.0010	mg/L	EPA 200.8	02/17/2019	02/17/2019	
Lead, Total	0.0005	0.015	0.0005	mg/L	EPA 200.8	02/17/2019	02/17/2019	



Certificate of Analysis

Lab Sample No.: 19B0750-44

Name: Sandy City Corporation	Sample Date: 2/16/2019 3:08 PM
Sample Site: A2K 11184 S Foxmoor Dr	Receipt Date: 2/16/2019 4:40 PM
Comments:	Sampler: Sandy City Workers
Sample Matrix: Drinking Water	Project: Code Copper
PO Number:	System No.: UTAH18028
Source Code:	Sample Point:
	Report to State:

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
Metals								
Copper, Total	0.0219	1.3	0.0010	mg/L	EPA 200.8	02/17/2019	02/17/2019	
Lead, Total	ND	0.015	0.0005	mg/L	EPA 200.8	02/17/2019	02/17/2019	



Certificate of Analysis

Lab Sample No.: 19B0750-45

Name: Sandy City Corporation	Sample Date: 2/16/2019 3:30 PM
Sample Site: A3K 11256 S Foxmoor Dr	Receipt Date: 2/16/2019 4:40 PM
Comments:	Sampler: Sandy City Workers
Sample Matrix: Drinking Water	Project: Code Copper
PO Number:	System No.: UTAH18028
Source Code:	Sample Point:
	Report to State:

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
Metals								
Copper, Total	0.649	1.3	0.0010	mg/L	EPA 200.8	02/17/2019	02/17/2019	
Lead, Total	ND	0.015	0.0005	mg/L	EPA 200.8	02/17/2019	02/17/2019	



Certificate of Analysis

Lab Sample No.: 19B0750-46

Name: Sandy City Corporation	Sample Date: 2/16/2019 2:51 PM
Sample Site: D1 11307 S 1700 E	Receipt Date: 2/16/2019 4:40 PM
Comments:	Sampler: Sandy City Workers
Sample Matrix: Drinking Water	Project: Code Copper
PO Number:	System No.: UTAH18028
Source Code:	Sample Point:
	Report to State:

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
Metals								
Copper, Total	0.216	1.3	0.0010	mg/L	EPA 200.8	02/17/2019	02/17/2019	
Lead, Total	0.0005	0.015	0.0005	mg/L	EPA 200.8	02/17/2019	02/17/2019	



Certificate of Analysis

Lab Sample No.: 19B0750-47

Name: Sandy City Corporation	Sample Date: 2/16/2019 3:01 PM
Sample Site: D2 1720 E Crescentview Dr	Receipt Date: 2/16/2019 4:40 PM
Comments:	Sampler: Sandy City Workers
Sample Matrix: Drinking Water	Project: Code Copper
PO Number:	System No.: UTAH18028
Source Code:	Sample Point:
	Report to State:

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
Metals								
Copper, Total	0.0620	1.3	0.0010	mg/L	EPA 200.8	02/17/2019	02/17/2019	
Lead, Total	0.0010	0.015	0.0005	mg/L	EPA 200.8	02/17/2019	02/17/2019	



Certificate of Analysis

Lab Sample No.: 19B0750-48

Name: Sandy City Corporation	Sample Date: 2/16/2019 3:01 PM
Sample Site: AA1 1300 E 10750 S Before Flush	Receipt Date: 2/16/2019 4:40 PM
Comments:	Sampler: Sandy City Workers
Sample Matrix: Drinking Water	Project: Code Copper
PO Number:	System No.: UTAH18028
Source Code:	Sample Point:
	Report to State:

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
Metals								
Copper, Total	0.170	1.3	0.0010	mg/L	EPA 200.8	02/17/2019	02/17/2019	
Lead, Total	0.0013	0.015	0.0005	mg/L	EPA 200.8	02/17/2019	02/17/2019	



Certificate of Analysis

Lab Sample No.: 19B0750-49

Name: Sandy City Corporation	Sample Date: 2/16/2019 3:04 PM
Sample Site: AA2 Connie Children's Care After Flush	Receipt Date: 2/16/2019 4:40 PM
Comments:	Sampler: Sandy City Workers
Sample Matrix: Drinking Water	Project: Code Copper
PO Number:	System No.: UTAH18028
Source Code:	Sample Point:
	Report to State:

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
Metals								
Copper, Total	0.0642	1.3	0.0010	mg/L	EPA 200.8	02/17/2019	02/17/2019	
Lead, Total	ND	0.015	0.0005	mg/L	EPA 200.8	02/17/2019	02/17/2019	



Certificate of Analysis

Report Footnotes

Abbreviations

ND = Not detected at the corresponding Minimum Reporting Limit.

1 mg/L = one milligram per liter or 1 mg/Kg = one milligram per kilogram = 1 part per million.

1 ug/L = one microgram per liter or 1 ug/Kg = one microgram per kilogram = 1 part per billion.

1 ng/L = one nanogram per liter or 1 ng/Kg = one nanogram per kilogram = 1 part per trillion.

Data Comparisons

Values reported in **RED** exceed Primary Drinking Water standards.

Values reported in **BLUE** exceed Secondary Drinking Water standards.

BLANK values in the MCL column indicate no standard.

DRINKING WATER SAMPLES ONLY

CHEMTECH - FORD ANALYTICAL LABORATORY

CHAIN OF CUSTODY

COMPANY: Sandy City Corporatoin
 ADDRESS: 9150 South 150 East
 CITY/STATE/ZIP: Sandy, Utah 84070
 PHONE #: _____ FAX: _____
 CONTACT: _____ PROJECT: Code Copper
 EMAIL: _____

BILLING ADDRESS: _____
 BILLING CITY/STATE/ZIP: _____
 PURCHASE ORDER: _____



TURNAROUND TIME REQUIRED*: _____

* Expedited turnaround subject to additional charge

State System Number

Send to State
 Yes No

Please fill in all blue highlighted areas. Thank you!

TESTS REQUESTED	Total Coliform + E. coli (Present/Absent)	Total Coliform + E. coli (Enumerated)	HPC (Plate Count)	Bacteria	
				R = Routine	I = Investigative
				TR = Trigger Source	RP = Repeat
				REPEAT	
				OR = Original Location	UP = Upstream
				DN = Downstream	

Lab Use Only	CLIENT SAMPLE INFORMATION					
	LOCATION	DATE	TIME	FACILITY ID (source code)	POINT CODE (DBP)	Field: Residual Chlorine
B0790						
43	1. A2K 11197 S. Foxmoor Dr	2/16/19	3:00 PM			
44	2. A2K 11184 S. Foxmoor Dr	2/16/19	3:08 PM			
45	3. A3K 11256 S. Foxmoor Dr	2/16/19	3:30 PM			

Lead & Copper

ON ICE ~~NOT ON ICE~~ Temp (C°): 16.3

Samples received outside the EPA recommended temperature range of 0-6 C° may be rejected.

Relinquished by: [signature] Date/Time: 2/16/19 4:15 PM
 Received by: [signature] Date/Time: 2/16/19 16:40

CHEMTECH-FORD
 9632 South 500 West
 Sandy, UT 84070

801.262.7299 PHONE
 866.792.0093 FAX
www.ChemtechFord.com

Payment Terms are net 30 days OAC. 1.5% interest charge per month (18% per annum).
 Client agrees to pay collection costs and attorney's fees.

DRINKING WATER SAMPLES ONLY

CHEMTECH - FORD ANALYTICAL LABORATORY

CHAIN OF CUSTODY



COMPANY: Sandy City Corporatoin
 ADDRESS: 9150 South 150 East
 CITY/STATE/ZIP: Sandy, Utah 84070
 PHONE #: _____ FAX: _____
 CONTACT: _____ PROJECT: Code Copper
 EMAIL: _____

BILLING ADDRESS: _____
 BILLING CITY/STATE/ZIP: _____
 PURCHASE ORDER: _____

TURNAROUND TIME REQUIRED*: _____
 * Expedited turnaround subject to additional charge

State System Number

Send to State
 Yes No

Please fill in all blue highlighted areas. Thank you!

TESTS REQUESTED										Bacteria			LAB FAIL Ref #
Lead	Copper	Total Coliform + E. coli (Present/Absent)	Total Coliform + E. coli (Enumerated)	HPC (Plate Count)	R = Routine	I = Investigative	TR = Trigger Source	RP = Repeat	REPEAT				
											OR = Original Location	UP = Upstream	DN = Downstream
X													
X													
X													
X													
X													
X													
X													
X													
X													

Lab Use Only	CLIENT SAMPLE INFORMATION						
	LOCATION	DATE	TIME	FACILITY ID (source code)	POINT CODE (DBP)	Field: Residual Chlorine	
B0750							
46	11307 S. 1700 E D-1	2-16-19	14:51				
47	21720 E Crescent View Dr D-2	2-16-19	15:01				
3.							
4.							
5.							
6.							
7.							
8.							
9.							
10.							

Special Instructions: _____

Relinquished by: [signature] _____ Date/Time: 2-16-19 4:20 PM

Received by: [signature] _____ Date/Time: 2/16/19 16:40

Temp (C°): 16.3

ON ICE ~~NOT ON ICE~~

Samples received outside the EPA recommended temperature range of 0-6 C° may be rejected.

CHEMTECH-FORD
 9632 South 500 West
 Sandy, UT 84070

801.262.7299 PHONE
 866.792.0093 FAX
www.ChemtechFord.com

Payment Terms are net 30 days OAC. 1.5% interest charge per month (18% per annum).
 Client agrees to pay collection costs and attorney's fees.

DRINKING WATER SAMPLES ONLY

CHEMTECH - FORD ANALYTICAL LABORATORY

CHAIN OF CUSTODY

COMPANY: Sandy City Corporatoin
 ADDRESS: 9150 South 150 East
 CITY/STATE/ZIP: Sandy, Utah 84070
 PHONE #: _____ FAX: _____
 CONTACT: _____ PROJECT: Code Copper
 EMAIL: _____

BILLING ADDRESS: _____
 BILLING CITY/STATE/ZIP: _____
 PURCHASE ORDER: _____



TURNAROUND TIME REQUIRED*: _____
 * Expedited turnaround subject to additional charge

State System Number

Send to State
 Yes No

Please fill in all blue highlighted areas. Thank you!

B0750

EE Jave Flush

Lab Use Only	CLIENT SAMPLE INFORMATION							Lead & Copper	Total Coliform + E. coli (Present/Absent)	Total Coliform + E. coli (Enumerated)	HPC (Plate Count)	Bacteria		LAB FAIL Ref #
	LOCATION	DATE	TIME	FACILITY ID (source code)	POINT CODE (DBP)	Field: Residual Chlorine	R = Routine					I = Investigative	TR = Trigger Source	
AA-1	1300 Eeas	10750 S.	2/16/19	3:04										
AA-2	CONNIE Christians car		2/16/19	3:04			X							
				After Flush			X							
							X							
							X							
							X							
							X							
							X							
							X							

Sampled by: [print] _____ Sampled by: [signature] _____
 Special Instructions: _____
 Relinquished by: [signature] _____ Date/Time 3:10 2/16/19
 Relinquished by: [signature] _____ Date/Time _____
 Relinquished by: [signature] _____ Date/Time _____
 Received by: [signature] _____ Date/Time 16:40 2/16/19

ON ICE NOT ON ICE Temp (C°): 16.3
 Samples received outside the EPA recommended temperature range of 0-6 C° may be rejected.

CHEMTECH-FORD
 9632 South 500 West
 Sandy, UT 84070

801.262.7299 PHONE
 866.792.0093 FAX
www.ChemtechFord.com

Payment Terms are net 30 days OAC. 1.5% interest charge per month (18% per annum).
 Client agrees to pay collection costs and attorney's fees.

