

DMF and Fluoresis Status in 47 Native White and 85 Native Colored Children, Ages 6 through 19, Bartlett, Texas, 1954.

Age	Normal & Questionable			Very Mild & Mild			Moderate & Severe		
	No. Examined	DMF	Av. DMF	No. Examined	DMF	Av. DMF	No. Examined	DMF	Av. DMF

Native White Children

6-11	2	2	1.00	15	27	1.80	6	18	3.00
12-13-14				7	23	3.29	6	24	4.80
15-19				6	26	4.33	6	37	6.17
TOTAL	2	2	1.00	28	76	2.71	17	79	4.65

Native Colored Children

6-11	3	0	0.00	28	47	1.68	25	51	2.04
12-13-14				4	20	5.00	15	60	4.00
15-19				2	10	5.00	8	40	5.00
TOTAL	3	0	0.00	34	77	2.26	48	151	3.13

All Native Children

6-11	5	2	0.40	43	74	1.72	31	69	2.23
12-13-14				11	43	3.91	20	84	4.20
15-19				8	36	4.50	14	77	5.50
TOTAL	5	2	0.40	62	153	2.47	65	230	3.54

Average DMF Per Child - Fluoresis Present

Age	Native White		Native Colored		All Native	
	V. Mild & Mild	Mod. & Severe	V. Mild & Mild	Mod. & Severe	V. Mild & Mild	Mod. & Severe
6-11	1.80	3.00	1.68	2.04	1.72	2.23
12-13-14	3.29	4.80	5.00	4.00	3.91	4.20
15-19	4.33	6.17	5.00	5.00	4.50	5.50
TOTAL	2.71	4.65	2.26	3.13	2.47	3.54

DMF and Fluorosis Status in 47 Native White and 85 Native Negro Children, Ages 6 through 19, Bartlett, Texas, 1954.

Race	Total No. Examined	Fluorosis Status		No. DMF		DMF Total
		Absent	Present	Absent	Present	
White	47	2	45	2	155	157
Negro	85	3	82	0	228	228
All	132	5	127	2	383	385

Race	Total No. Examined	Fluorosis Status		DMF Per Child		Av. DMF
		% Absent	% Present	Fluorosis Absent	Fluorosis Present	
White	47	4.3	95.7	1.00	3.44	3.34
Negro	85	3.5	96.5	0.00	2.78	2.68
All	132	3.8	96.2	0.40	3.02	2.92

Degree of Fluorosis in 47 Native White and 85 Native Negro Children, Ages 6 through 19, by Age. Bartlett, Texas, 1964.

Age	Normal	Questionable	Very Mild	Mild	Moderate	Severe	Fluorosis Absent		Fluorosis Present		Total
							No.	%	No.	%	
6			2	3	3	1			9	100.0	9
7	1			7	5	1	1	7.1	13	92.9	14
8				7	1	1			9	100.0	9
9	2	1		5	6	2	3	18.8	13	81.2	16
10			2	8	4	3			17	100.0	17
11		1		9	3	1	1	7.1	13	81.2	14
12				4	4	1			9	100.0	9
13				4	2	2			8	100.0	8
14				3	6	5			14	100.0	14
15				2	4	2			8	100.0	8
16				2	1				3	100.0	3
17				3	6				9	100.0	9
18				1					1	100.0	1
19	✓		✓		1	✓			1	100.0	1
All	3	2	4	58	46	19	5	3.8	127	96.2	132

Degree of Fluorosis in 47 Native White Children, Ages 6 through 18, By Age. Bartlett, Texas, 1954.

Age	Normal	Questionable	Very Mild	Mild	Moderate	Severe	Fluorosis Absent		Fluorosis Present		Total
							No.	%	No.	%	
6				1					1	100.0	1
7	1			3			1	25.0	3	75.0	4
8				1	1				2	100.0	2
9		1		3	1	1	1	16.7	5	83.3	6
10				3	1	1			5	100.0	5
11				4	1				5	100.0	5
12				3	1				4	100.0	4
13				1					1	100.0	1
14				3	1	3			7	100.0	7
15				2	1	1			4	100.0	4
16				1					1	100.0	1
17				2	4				6	100.0	6
18	✓		✓	1 ✓	✓	✓			1	100.0	1
All	1	1	0	28	11	6	2	4.3	45	95.7	47

Degree of Fluorosis in 85 Native Negro Children, Ages 6 through 19, by Age. Bartlett, Texas, 1954.

Age	Normal	Question-able	Very Mild	Mild	Moderate	Severe	Fluorosis Absent		Fluorosis Present		Total
							No.	%	No.	%	
6			2	2	3	1			8	100.0	8
7				4	5	1			10	100.0	10
8				6		1			7	100.0	7
9	2			2	5	1	2	20.0	8	80.0	10
10			2	5	3	2			12	100.0	12
11		1		5	2	1	1	11.1	8	88.9	9
12				1	3	1			5	100.0	5
13				3	2	2			7	100.0	7
14					5	2			7	100.0	7
15					3	1			4	100.0	4
16				1	1				2	100.0	2
17				1	2				3	100.0	3
18											
19					✓ 1	✓			1	100.0	1
Σ	2	1	4	30	35	13	3	3.6	82	96.5	85